



Kotszr CA+ REFERENCE DECK

1. Asif Ahmed1 & Joshua Boateng*,1 (2018), “Calcium alginate-based antimicrobial film dressings for potential healing of infected foot ulcers”, UK, DOI: [10.4155/tde-2017-0104](https://doi.org/10.4155/tde-2017-0104).
2. Blessing Atim Aderibigbe * and Buhle Buyana (2018), “Alginate in Wound Dressings”, Eastern Cape 5700, South Africa, DOI: <https://doi.org/10.3390/pharmaceutics10020042>.
3. Bagel S1, Ruth P2, Gorka M-Th2, Abel M2, Annual Congress of European Wound Management Association(EWMA) Prague / CZ, (2006), “Antimicrobial activity of a silver containing alginate wound dressing - Suprasorb A+Ag -”, 1Rheinbach, Germany, 2 Rengsdorf, Germany.
4. Bridget O’Brien, Crina V. Floruta, (2009), “Management of a Peristomal Ulcer Using a Calcium Alginate Dressing with a Sacral-Shaped Transparent Adhesive Dressing”, Cleveland, OH.
5. Colin Bradford1, Richard Freeman1, Steven L. Percival1, (2009), “In Vitro Study of Sustained Antimicrobial Activity of a New Silver Alginate Dressing”, Cheshire, UK, DOI: [10.1016/j.jcws.2009.09.001](https://doi.org/10.1016/j.jcws.2009.09.001).
6. Cornelia Wiegand1; Thomas Heinze2; Uta-Christina Hipler1(2009), “Comparative in vitro study on cytotoxicity, antimicrobial activity, and binding capacity for pathophysiological factors in chronic wounds of alginate and silver-containing alginate”, Jena, Germany, DOI: <https://doi.org/10.1111/j.1524-475X.2009.00503.x>.
7. C. Wiegand1, K. Reddersen1, M. Abel2, P. Ruth2, U.-Ch. Hipler1(2015), “Efficacy of antimicrobial wound dressings against S. aureus, E. coli and K. pneumonia as well as their resistant kinmen MRSA and NMD-1 strains in vitro” 1Jena, Germany, 2Rengsdorf, Germany.
8. C. Wiegand1, K. Reddersen1, M. Abel2, S. deLange2, P. Ruth2, U.-C. Hipler1(2016), “Antibacterial Effect of Alginate and CMC Dressings with and W/O Silver on Pseudomonas Aeruginosa and a Staphylococcus Aureus Biofilm”, 1Jena, Germany 2Rengsdorf, Germany.
9. C. Wiegand1, M. Abel2, P. Ruth2, M.-Th. Gorka2, P. Elsner1, U.-C. Hipler1(2008), “Influence of alginate and silver containing alginate on elastase and ROS activity as well as TNF-D concentration in vitro”, 1Jena, Germany, 2Rengsdorf, Germany.
10. D Metcalf 1, D Parsons 2, P Bowler 3 (), “A next-generation antimicrobial wound dressing: a real-life clinical evaluation in the UK and Ireland”, Flintshire, UK, DOI: [10.12968/jowc.2016.25.3.132](https://doi.org/10.12968/jowc.2016.25.3.132).
11. Juin-Hong Cherng (2018), “Calcium Alginate Polysaccharide Dressing as an Accelerated Treatment for Burn Wound Healing”, Taipei, Taiwan, ROC, DOI: <http://dx.doi.org/10.5772/intechopen.80875>.
12. John Timmons, (2009), “Algicates as haemostatic agents: worth revisiting?”, UK.
13. J.Vaughan, R.Benson, K.Vaughan, (2014), “Assessing the effectiveness of antimicrobial wound dressings invitro”, Smith & Nephew Research Centre, UK, DOI: <https://doi.org/10.1533/9780857093301.2.227>.
14. Körber A1, Seipp H-M2, Hofmann S2, 18th Conference of the European Wound Management Association(EWMA), (2008), “Efficacy of different wound dressings on artificial plaques of fibrin”, 1Universitätsklinikum Essen 2 Fachhochschule Giessen-Friedberg, Germany.
15. Lucienne Dol, 19TH Conference of the European Wound Management Association (EWMA) (2009), “Atreatment of stagnate abdominal wounds after bowel surgery”



Kotszr CA+ REFERENCE DECK

Helsinki, Finland.

16. Mrs. Ria van Dam, 19th Conference of the European Wound Management Association (EWMA) (2009), “Thetreatment of infected wounds of older patients with a silver alginate”, Helsinki, Finland.
17. Opasanon S, Muangman P, Namviriyachote N. (2010), “Clinical effectiveness of alginate silver dressing inoutpatient management of partial-thickness burns”, Bangkok, Thailand, DOI: [10.1111/j.1742-481X.2010.00718.x](https://doi.org/10.1111/j.1742-481X.2010.00718.x)
18. S. Thomas, Journal of Wound Care February, Vol 9, No 2, 2000 (2015), “Alginate dressings in surgery andwound management – part 1”, Bridgend, Mid-Glamorgan.
19. Steven L. Percival1–3, * and Sara M. McCarty2(2014), “Silver and Alginates: Role in Wound Healing andBiofilm Control”, Liverpool, United Kingdom1. Liverpool, United Kingdom2, Manchester, United Kingdom3, DOI: [10.1089/wound.2014.0541](https://doi.org/10.1089/wound.2014.0541)
20. T. Eberlein et al. (2012), “Comparison of PHMB-containing dressing and silver dressings in patients withcritically colonised or locally infected wounds”,1Manama, Bahrain; 2Austria, DOI: [10.12968/jowc.2012.21.1.12](https://doi.org/10.12968/jowc.2012.21.1.12).
21. Willi Paul, Chandra P. Sharma (2014), “Alginates: Wound Dressings”, Thiruvananthapuram, India, DOI:<https://www.researchgate.net/publication/278076825>.
22. Xianchao Ding *, Lei Shi, Chang Liu, Bingwei Sun (2013), “A randomized comparison study of Aquacel Agand Alginate Silver as skin graft donor site dressings”, PR China, DOI: <http://dx.doi.org/10.1016/j.burns.2013.04.017>.